becker/ound/

6502

The beckersounds b502 is a 3-way home cinema front speaker including an associated cloud-capable DSP amplifier. It features our new hybrid technology, which combines the advantages of passive and actively controlled speakers. The state-of-the-art DSP amplifier also allows the use of a parametric equalizer for manual room measurement.

As the b502 is a bass-limited speaker, you will need a suitable subwoofer system. Alternatively, you can expand the b502 with the b1002 subwoofer to create a full-range speaker.

Technical Data b502

Frequency Response (+/-3dB) 80 Hz – 20 kHz

Maximum SPL free field at a distance of 1 meter 129 dB
Horizontal directivity +/- 25°
Vertical directivity +/- 15°
Tweeter 1"

Tweeter 1"
Midrange driver 6"
Bass driver 15"

Connection options Analog und Dante/AES67

Subwoofer as full-range extension b100

Dimensions (W x H x D) 45 cm x 92 cm x 28 cm

Acoustic center from the lower edge 61 cm Weight 37 Kg



Technical Data b502 with b1002

Frequency Response (+/-3dB) incl. protection filter * 28 Hz - 20 kHz Maximum SPL free field at a distance of 1 meter 116 dB Horizontal directivity +/- 25° Vertical directivity +/- 15° Tweeter 1"

Midrange driver 6"
Bass driver 15"
Subwoofer driver 18"


Connection options Analog und Dante/AES67 Dimensions (W x H x D) 50 cm x 167 cm x 35 cm


Acoustic center from the lower edge 136 cm Weight 71 Kg




becker/ound/

6502







becker/ound/




* Incl. protection filter means that the frequency response has been deliberately cut towards the low frequencies for protection and to increase the maximum level. This is freely configurable. The resulting maximum level is shown in the following graphic.



Below is an example of how the frequency response can be adjusted to the low frequencies. This measurement was made at the listening position.





beckersounds GmbH Jeverlandstr. 4 26215 Wiefelstede Germany

www.beckersounds.de

Steuernummer 69/103/09514 USt-IDNr. DE318103591 HRB 214681 Amtsgericht Oldenburg Managing Director Stefan Becker

Status of this manual: 09.08.2024